CAMEC 12V MONO-CRYSTALLINE PHOTOVOLTAIC ELECTRIC SOLAR PANELS



All Camec folding 12 Volt Solar Panels have fitted a 10amp Solar Regulator and a five metre + - lead with alligator clips. The lead has an inline Anderson Plug enabling the panel to be quickly hooked up to Caravans and Campers which already have an Anderson plug wired up to their battery system. Protective Carry bag supplied with each panel. Folding Solar Panels 90 watt 120 watt 175 watt

040431

040432

040433

040429 040430

SPECIFICATIONS	040431 - 90WATT	040432 - 120WATT	040433 - 175WATT
Dimensions Open	1082x641x35mm	1094x820x35mm	1105x1196x70mm
Dimensions Folded	535x641x75mm	540x820x75mm	546x1196x145mm
Size of solar cell	125 x 125mm	125 x 125mm	125 x 125mm
Max Power Output (Pm)	90 Watt	120 Watt	175 Watt
Output Tolerance	±5%	±5%	±5%
Open Circuit Voltage (Voc)	21.50V	21.60V	21.60V
Short Circuit Current (Isc)	5.31A	7.08A	10.40A
Working Current (Ipm)	5.11A	6.80A	9.95A
Working Voltage (Vpm)	17.60V	17.60V	17.60V
Type of Output Terminal	Junction Box	Junction Box	Junction Box
Testing Conditions	AM1.5, 1000W/m², 25°C	AM1.5, 1000W/m², 25°C	AM1.5, 1000W/m², 25°C
Weight	10.0kg	12.0kg	22.4kg



Fixed Solar Panels 90 watt

150 watt

SPECIFICATIONS	040429 - 90 WATT	040430 - 150 WATT
Dimensions	546x1196x35mm	674x1482x40mm
Size of solar cell	125 x 125mm	156 x 156mm
Max Power Output (Pm)	90 Watt	150 Watt
Output Tolerance	±5%	±5%
Open Circuit Voltage (Voc)	21.50V	21.96V
Short Circuit Current (Isc)	5.31A	9.0A
Working Current (Ipm)	5.11A	8.42A
Working Voltage (Vpm)	17.60V	17.80V
Type of Output Terminal	Junction Box	Junction Box
Testing Conditions	AM1.5, 1000W/m²,	AM1.5, 1000W/m ² ,
	25°C	25°C
Weight	7.83kg	12.5kg

CAMEC 12V SOLAR REGULATORS



30 Amp



Solar Charge Regulators are able to handle charge and discharge from a 12V battery and provide over-charging, over-discharging, and over-load protection. They are designed to keep the whole solar system at proper working condition. They deploy the latest microcomputer-chip to realize intelligence control with pulse width modulation (PWM) charging circuitry for higher efficiency and a big LCD display (30Amp only) available for easy monitoring.


10 Amp	040434
30 Amp	040435

12V SOLAR POWER CABLE KIT



This cable kit consists of a 3 metre + - lead and + - splitter enabling you to link two folding panels together for greater output. **040437**

UNIVERSAL SOLAR PANEL MOUNTING BRACKET KIT



For solar panels of all sizes with thickness of up to 40mm.Secure to any surface such as caravan, motorhome, boat, flat roof by adhesive or screw. Increases airflow and reduces panels temperature, reducing power loss. 040436

10 Amp

32

2 PIN SURFACE SOCKET POLARISED LOW VOLTAGE



Surface socket 15amp 2 pin polarised for use in 12V to 32v applications 004186

2 PIN EXTENSION SOCKET POLARISED LOW VOLTAGE



Cord exension socket 15amp 2 pin polarised for use in 12V to 32v applications **004188**

2 PIN EXTENSION PLUG POLARISED LOW VOLTAGE



Cord extension plug 15amp 2 pin polarised for use in 12V to 32v applications **004187**

EXTENSION PLUG AND SOCKET





Cord extension plugs and sockets for ordinary duty 3 core flexible cords.

15amp socket	Orange	005103	
15amp socket	Clear	005105	
10amp plug	Orange	005107	
15amp plug		005108	

PLUG & SOCKET COVER



Weatherproof threaded coupling, impact resistant. Dia. 66mm 00511

Cordlock HPMD107

005112 035749

ANDERSON PLUG 50 AMP



Heavy duty connector suitable for 50amp. Two pole power connectors with single piece housings 004276

ACCUTRAC CIRCUIT BREAKER



Non corrosive moulded cover to eliminate earthing when operating against a fault line. 20 amp. 004344

12V CIRCUIT BREAKERS



15amp 30amp

004347

035751

SPACER BLOCK



Suits power inlets and outlets. Old Style New Style



ELECTRICAL

POWER INLET - NEW STYLE

15 amp 435VFS inlet connection complete with waterproof flap and sealing gasket. White **005193**

POWER OUTLET - NEW STYLE



10 amp 415VF 240v outlet complete with waterproof flap and sealing gasket. White. 005

005198

POWER INLET WITH WEATHERPROOF FLAP



 White
 005187

 Clipsal flap only
 005188

POWER OUTLET WITH WEATHERPROOF FLAP



Designed to be fitted to the exterior wall of the RV for power to annexe. Double pole. White.

	Clipsal 10amp 10DWP	005196
005190	Clipsal 15amp 15ADWP	035756
005194	Clipsal flap only	005197

ELECTRIC	AL	-		33
SINGLE POWER POINT DOUI	BLE	MOUNTING BLOCK		LIGHTS
POLE 15D		White. Suits all Clipsal standard pattern power points 005212		
White. Shallow plate	005200	DOUBLE POLE SWITCH 30D	Narva. Red/Amber 130mm (I) 60mm (w) 40mm (d)	004658
SINGLE POWER POINT DOUI POLE 15DD	BLE	0	Replacement lens	004659
• 0 ', •		10 amp. Shallow plate.		
and the second second second		White 035757 Sand 035758	A DESCRIPTION OF A DESC	
		DOUBLE POLE SWITCH 30DD	Concern and the second	
	005202			
DOUBLE POWER POINT DOU POLE 15DD2V	JBLE		Narva. Red/Amber 125mm (I) 65mm (w) 30mm (d)	004660
03.			Replacement lens	004661
0.		White. 240v 10amp. Deep plate. 005233		
		SWITCH PLATE - WHITE		
Vertical deep plate.				
	005205 005206		Narva. Red/Amber with metal sat bracket 140mm (I) 71mm (w) 36mm (d)	
		<u></u>		004662
DOUBLE POWER POINT DOU POLE 25D	JBLE	Clipsal 31 005199		
0 0		SINGLE SWITCH - DEEP PLATE)
			90mm (l) 50mm (w) 35mm (d)	
			Red/Clear lens.	004677
	005209	12V - Single Pole	Red/Amber lens.	004678
DOUBLE POLE POWER POIN	• •	White Brown switch 005235 240v - Double Pole		
		White 005237		
		240V SWITCH MECHANISM		
HPM. Deep plate.				
6	005214			
	005216 005217	White. 10 amp double pole. 005225	Narva. Rubber. Red/Amber Base: 88mm(I) 68mm (w) 56mm	(h) 004655

ELECTRICAL 34 NARVA SIGNAL/MARKER LIGHT FRONT MARKER AUTO LIGHTS NUMBER PLATE LIGHTS Clear lens. Complete with clips. 004693 90mm (l) 49mm (w) 25mm (d) Britax. Rear number plate light Replacement lens 004694 035774 68mm (I) 38mm (w) 60mm (d) 80mm (I) 27mm (w) 25.3mm (d). 004684 **COMBINATION AUTO LIGHTS** Narva. Front end outline marker and front position (side) light. Clear lens. 84mm (l) 48mm (w) 40mm (d) 004683 Narva. Flush mounted. 107mm (I) 37mm (w) 42mm (d) 004697 Narva. Front end outline marker and front Perei Series 12 position (side) lamp. Clear lens. 98mm (I) 98mm (w) 48mm (d) 004764 004681 101mm (l) 52mm (w) 28mm (d) Replacement lens 004765 Narva 105mm (I) 49mm (w) 54mm (d) 004698 Narva. Front marker lamp. Clear lens. 80mm (I) 27mm (w) 25.3mm (d) 004679

REAR MARKER AUTO LIGHTS



Narva. Rear end outline marker and front position (side) lamp. Red lens. 101mm (l) 52mm (w) 28mm (d) **004686**



Perei. Complete with clips. 90mm (I) 49mm (w) 25mm (d)

004695

Narva. Clear lens. Mounting pad 79mm Diameter 77mm x 44mm

REVERSING LIGHT ROUND

Perei. White casing



004704

004779

 Perei Series 106
 004766

 168mm (I) 83mm (w) 50mm (d)
 004766

 Replacement lens
 035781



Britax Stop/Tail/Flash 160mm x 80mm Replacement Lens

COMBINATION AUTO LIGHTS REPLACEMENT LENS



Britax. Stop/tail/ indicator/number plate lamp. 105mm (l) 97mm (w) 52mm (d) 035784 Replacement lens only



Britax. Stop/tail/indicator lamp - side position. 105mm (I) 97mm (w) 52mm (d) Replacement lens only 035785

COMBINATION AUTO LIGHTS



Narva. Shallow body suitable for trucks and vans. Combination rear stop/tail, direction indicator lamp with inbuilt reflex reflector. 275mm (I) 100mm (w) 45mm (d) 004717 004718 Replacement lens



Narva. Rear stop/tail, direction indicator lamp with inbuilt reflex reflector. 275mm (l) 100mm (w) 58mm (d) 004722



Narva. Chrome rim. Rear stop/tail, direction Indicator lamp (red/amber) 176mm (I) 101mm (w) 42mm (d) 004729 Replacement lens. 004730



Ark. Rear combination lamp. Stop/tail, licence plate, indicator.

035770


035771

Left hand - Red insert	
Right hand - Clear insert	

COMBINATION AUTO LIGHTS



Narva. Heavy duty rear stop/tail/indicator with inbuilt retro reflector. 601mm (l) 131mm (w) 53mm (d) 004738





Narva. Rear stop/tail. direction indicator. Reversing lamp with inbuilt reflex reflector. 275mm (I) 100mm (w) 58mm (d) 004725 Replacement lens. 035793

1 1

R



Narva. Rear stop/tail, direction indicator, licence plate lamp. 107mm (I) 107mm (w) 42mm (d) 004732

004733 Replacement lens.



Perei. Complete with bayonet globes. 415mm (I) 133mm (w) 50mm (d) 004759



Narva. Rear combination direction indicator, stop/tail lamp assembly with inbuilt reflex reflector

004735

400mm (I) 127mm (w) 50mm (d)



NARVA TRAILER LAMP PACK

Complete with 2 x trailer lamps, 4 wire taps, 1 trailer plug, 5m of 5 core trailer wire 035990

ARK TRAILER LIGHT BOARDS



776
838
5786

LED 12V AUTO LIGHTS



Amber. 80mm square with bracket. 004792



Stop/tail. 80mm square with bracket. 004745



Stop/tail/indictor. 100mm square with 30mm bracket. 12V and 24v. 035795



Stop/tail/indictor. Rectangular, 190mm (I) 100mm (w) 28mm (d) 004746

36

ELECTRICAL



	SINGLE CONTAG	T BC AUTO)
	A	0	
004793	10 per box. 12V 21W 24v 10W	•	004847 004865
	12V AUTO GLOB BASE		
004794	21CP 15mm Pack of 10		004833
	Pack of 2 FESTOON GLOB	ES	004834
d and 2	1111111111111	121	
004671	Ψψ	t.	
	12V 10 per Box	٢	
	3W 8mm x 2	28mm	004795
	5W 11mm x	36mm	004802
hite	5W 11mm x		004805
inte	10W 10mm x	-	004809
004692	10W 10mm x		004808 004815
	18W 15mm x 18W 15mm x		004815
	21W 15mm x		004817
	21W 25mm x		004823
	2 Pack		
	5W 11mm x	36mm	004804
	10W 10mm x	31mm	004810
	21W 15mm x 24V	41mm	004822
004702	10 per Box		
	18W 15mm x	41mm	004828
O	EXTENSION LEA	ADS 15AMP	
	Car	-	
	Heavy duty - suitable f manufacturers. For R\	or caravanners / use only.	and
	10m		005090
	15m		005092
004854	20m		005093

FUSE BOXES



BLADE FUSE BOX with transparent cover, gasket and terminals

-		
4 blade		004331
6 blade		004333
8 blade		004335
	In participation	
SINGLE IN		
8 blade		004338
10 blade		004339

15A TO 10A ADAPTOR

Safe and legal connection of a 15A load such as a caravan or other RV to a standard 10A supply when a 15A circuit is unavailable.

Weatherproof

•

- Cleat secures outlet lead
- Personal safety device
- Safely connects to domestic outlets
- . Designed and made in Australia





90

With earth leakage and overload	039929
With overload only	039931

10 per box. 12V 21-5W

Offset

PVC CORRUGATED S SPAGHETTI TUBING	SPLIT	BRITAX CAR SOCKETS ROUND		BRITAX 7 PIN TRAILER PL FLAT	.UG
				B4 - 7 pin	004916
Black fire-retardant polyprop	vlene.	Small round metal B24 6 pin	035991		
Metre	,	B24 6 pin B22 7 pin	035991		
10mm	035810		004911		
16mm	035811				
20mm	035812				
10 Metres 10mm	004147			B47 - 12 pin	004920
				BRITAX PLUGS & SOCKE	TS
13mm	004150	B57 - 7 pin Large round plastic	004914	20AMP RATING	
		BRITAX TRAILER PLUGS			
		ROUND			
AUTO WIRE					
				109 202	
				B62A 2 pin Unmounted	004266
				B68A 4 pin Unmounted	004268
		Small round metal			
		B25 - 6 pin	004893		
Turin Eiguno 9		B21 - 7 pin	004909		
Twin Figure 8					1
				0100	,
	1.2000			B82A 2 pin Flush mount	004270
3mm. Red with black tracer.				B82A 2 pin Flush mount	004270
500 metres	004091	B41 - 7 pin small round plastic	004903		
				0.07	
Twin Core					
Metre		T		and the set	r
4mm	004127	800			
5mm	035818			B83A 2 pin Surface mount	004269
6mm	035820	B56B - 7 pin large round plastic	004897		
				BRITAX PLUG AND SOCK	ET
Multicore Wire - Sheathed		BRITAX CAR SOCKET FLAT	Г	HEAVY DUTY	
-					
Metre		a0000		35amp	
			oo (o (=	B76 - 4 pin plug	004274
2 core red/black 4mm		B5 - 7 pin	004917	B77 - 4 pin socket	004275
2 core red/black 6mm					
7 core 7/0.32	004137			ARK TRAILER PLUG	
7 core 4mm	n 004141				
100 Metres		N Table			
2 core red/black 4mm	004124	and the second second		Ser.	
2 core red/black 6mm	n 004131				
7 core 7/0.32	004138	B48 - 12 pin			
		Bulk pack	004922		
		Single Pack	004923	FP87 7 pin Flat	035824



ELE	CIRI	CAL	-	39
12V/240V OY	STER LIGHTS		HELLA 240V/12V ANNEXE LIGHT	12V CAMEC GRAB HANDLE
RECESSED				LIGHT
High profile Low profile Low profile	200mm 200mm 300mm	033283 005126 005135		
				Illuminated door handle. White 005149
SURFACE MOUN	B		Surface mounted external annexe light. White base. 241mm (I) 128mm (h) 78mm (d) 005142	Chrome 005148
High profile	200mm	005127		12V INTERIOR ROOF LIGHTS
Low profile Low profile	200mm 250mm	033284 005129		
REPLACEMENT	LENS	003129	LUMO AWNING LIGHT	
Patterns may vary 200mm Shallow		005161		100mm dome stainless steel with switch.
200mm Plain hi		005161		035843
250mm Plain		005166	C	
300mm Plain SPARE PART		005169 YSTER		With on/off toggle switch 116mm (I) 59mm (h) 29mm (d) 004388
PVC lens knob		005171	Easy to install, surface mount and waterproof. White gloss finish with strong knock resistant polycarbonate diffuser. 12V 10watt G4 Tungsten halogen lamp. 253mm (I) 87mm (h) 52mm (d) 004381	
7	*			125mm dia. x 36mm 004385
White plastic shrou	bu	005182	12V ANNEXE LIGHT	
Bakelite bayonet s	socket	005181		
			150mm (l) 88mm (w) 55mm (d)	White with miller white land. Complete with
			Clear lens no switch004515Clear lens with switch004516	White with milky white lens. Complete with lead.
12V double contac	ct globe socket	005179	Replacement clear lens 004517	280mm (l) 25mm (h) 8mm (d) 004529 Jack connection 004530

<u>39</u>

FI ECTRICAL

40 ELECTRICAL					
12V HALOGEN SPOT LIGHTS		12V HALOGEN SURFACE MOUNT LIGHTS		12V HALOGEN SURFACE MOUNT LIGHTS	
Mini. Adjustable spotlight for wall fitting or		Cirro. White opaque lens, white surround.		UNILIGHT. Wiith opaque lens and switch, 10w globe.	
under shelf lighting, with clear lens, s reflector and 10w globe. 90mm (h) x 60mm (w) x 85-120mm (switch,	Surface mounted interior light with sv 10w globe. 48mm (h) 250mm dia.		35mm (h) 160mm (w) 50mm (d) White 004507 Black 004509	
White	004408				
Chrome	004413				
Silver Replacement lens	004420 004409				
		SUN. White with switch and clear len globe.	is. 10w		
Ì		36mm (h) 110mm dia.	004433	DREAM. Adjustable halogen light for wall or under shelf mounting. Clear lens with switch, reflector and 5w globe 80mm (h) 68mm (w) 75-110mm (d) White/gold ring 004427	
Opal. Adjustable for wall or under sh mounting with switch and 10w globe. 90mm (h) 68mm (w) 75-115mm (d)				Silver/gold ring 004428	
White/Gold	004403	COMET. Eyeball light with switch and	d clear		
White/Chrome	004421	lens. 10w globe. 33mm (h) 100mm dia.		and the second se	
LUMO MINI SPOT LIGHT		White	004494	A STREET, STREE	
		Beige	004495		
00				SQUARE. White with switch. 10w globe 40mm (h) 110mm (w) 110mm (d) 004439	
Easily installed and fully adjustable.	10w	SATURN. White with opaque lens an	d switch.		
halogen globe, glass cover to protect modern styling, strong and durable. 42mm (w) 82mm (d) 105mm (h)	t bulb,	10w globe. 25mm (h) 170mm dia.	004463	004470	
Silver/sand	004609			00	
White Satin/chrome bezel	004610 004612	TWILIGHT. White with opaque lens a	and	004474	
12V HALOGEN RECESSED LIGHTS		switch. 2 x 5w globes. 35mm (h) 247mm (w) 65mm (d)	004510		
				SKYLIGHT. White. Waterproof suitable as an annex light. 10w halogen globes. Twin . 2 globes 60mm (h) 106mm (w) 200mm (l) 004470	
STAR. White with opaque lens. 10w 26mm (h) x 70mm dia.	globe.			Single. 2 globes 40mm (h) 200mm (w) 105mm (d) 004474	
No switch With switch	004454 004483	STAR. White with opaque lens and switch. 5w globe. 26mm (h) 70mm dia.	004486	Replacement globe 004471	
	004403	• • •			

12V HALOGEN RECESSED LIGHTS



NOVA. 10w globe. 25mm (h) 76mm dia.

No Switch	
White 004422	12V
Gold 004425	20W
Chrome 004426	5W
Switch	5W
White 004478	10W
Gold 004479	10W
Chrome 004480	



TARGA. Waterproof light with clear lens. No switch. 10w globe. 40mm (h) 90mm dia.

White	004475
Chrome	004477



COMET. Eyeball with switch, clear len	s, 10w
globe.	
31mm (h) 80mm dia.	
White	004499
Beige	004500

LUMO 12V HALOGEN LIGHTS

Specifically designed for use in caravans, motorhomes and boats. Cost efficient, stylish design, easily installed. 9w globe.



HALOGEN LIGHT GLOBES



121	
20W	Oyster light conversion
5W	
5W	Single Contact
10W	
10W	Single Contact

LUMO 12V FLUORO LIGHTING



ELLIPSE. Specifically designed for use in caravans, motorhomes and boats. Cost efficient, stylish design and easily installed. 418mm (I) 100mm (w)

2 x 8w Tubes

Satin	004613
Brass	004614
Silver Sand	004615
White	

11w Tube Satin 004617 004620 Replacement lens



CEILING LIGHTS. Suitable for caravans, motorhomes, minibus, boat and commercial vehicle interiors. Slimline profile for maximum headroom, cracked ice effect diffuser for maximum light, reverse polarity protected; radio and TV suppressed.

4623	Lumo I	White 8w	004597
1624	Lumo I	Splashproof version with backplate and switch	004600
4625 4626	Lumo III	White 2 x 8w	004602

12V DICHROIC GLOBE 20W



For use in Halogen lights

004869

12V 8W FLUORESCENT LIGHT



With car accessory plug.

Single tube	004571
Twin tube	004572
Replacement diffuser	004573

12V 8W TWIN FLUORESCENT LIGHT



Twin tubes with folding metal hanger to hook up the light and 4.5m cord with car accessory plug. Operates with 1 or 2 tubes.

Without magnets With magnets for attaching to	004576
any metal surface	004578
Replacement diffuser	004577

12V 250MM ROUND FLUORESCENT LIGHT



16w tube, surface mount, white base, opaque lens. With switch. 004586 Replacement flourescent tube 004562

42					ELECTRICA	\L
12V TWIN LARGE	FLUORESCENT L	IGHT	LED LIGHTS SPOTLIGHTS		LED LIGHTS CEILING LIGHTS	
2 X 15w fluorescent tubes complete with		CDr.		(3)		
(d)	. 600mm (I) 1654mm (h) 40mm			1	
Surface Mour Recessed	nt	004592 004594	ADJUSTABLE WITH SWITCH 1 LED 1.4w	035647	OVAL WITH SWITCH 63 LEDs 3.6w	035637
12V 8W FI		HT				
(All						
8 watt fluores Surface mour	cent light complete with nted.	switch.				
	mm (h) 30mm (d)	004591				
FLUORES 240V/12V	CENT TUBES		FLEXIBLE WITH SWITCH 9 LEDs 0.5w	035640		
-0					9	
8w 9w 2 pin	Compact dual	004555 004556			RECTANGLE WITH SWITCH	
10w 9w 4 pin	Coronet/Crown Lumo	004557	122		63 LEDs 3.5w	035638
11w 4 pin	Ellipse Lumo	004558 004559			BATTERY BOXES	
13w		004560	FLEXIBLE WITH SWITCH 12 LEDs 0.7w	035641		
15w 16w		004561 004562			A PAN	
11w	See-Ezy	004563				
LED LIGH			-			
	Ô				High quality, lightweight, black polyp vented battery boxes impervious to l acids. Sturdy carry handles, two ven with recesses to allow cable entry. S	battery its and lid
ROUND 21 LEDs 1.2	W	035631	FLEXIBLE WITH SWITCH 1 Power LED 1.4w	035645	with webbing tie down strap, screws securing brackets.	
	A TONA				266mm (I) 185mm (w) 200mm (h) 325mm (I) 185mm (w) 200mm (h)	000336 000338
	0 9		LINEAR LAMP WITH SWITCH		340mm (I) 200mm (w) 210mm (h)	003746
ROUND WIT	-	035633	Contraction of the			
			12 LEDs 0.7w.	035635	BATTERY BOX STRAP	
			C Packson Diversion and a	ġ.		
SQUARE 21 LEDs 1.2	<i>w</i> .	035632	24 LEDs 1.3w.	035636	Battery Box Strap 1372mm long	000337

POWER BATTERY BOX



Not just a battery box! Includes accessory socket, 10amp circuit breaker, external terminals, battery condition indicator, terminal leads, carry handle, hold down webbing strap, deck mounting brackets and impact resistant handle. Suits 75amp hour battery only battery not included. 000339

380mm (I) 200mm (w) 210mm (h)

10AMP BATTERY CHARGER 12V "PURECHARGE"



A true 3-stage battery charger, which delivers charges in bulk, absorption and float stages, each stage delivering the optimum charge for the best performance and power for the battery. By incorporatinging the float charge stage, you can set and forget, while your batteries are automatically maintained. Extremely light and compact in size it can be used and installed almost anywhere. 003782

12V AUTO BATTERY CHARGER



Fully automatic. Designed to be left connected to a 12V battery without risk of overcharging. 2.5amp RMS (1.6amp constant charge) trickle charge. 035850

CTEK WATER RESISTANT BATTERY CHARGERS

Spark free, short circuit proof, reverse polarity protected. Pulse maintenance for maximum battery life. Ideal charge down to 170v AC. Safe for lead-acid types, flooded, MF, Gel & AGM Batteries. Waterproof to IP65 Suitable for outdoor use.



12 volt 7 amp 225 amp/hour capacity. The supply mode will provide power even without a battery. 003789



12V 25 amp 500 amp/hour capacity. Rapid charge The charge is automatically adjusted to the battery's temperature. Supply mode as for 003789. 017039

WAECO CAN SIZE INVERTER 100W



Perfectly round with the same outer dimensions as a drink can making stoarge easv.

66mm dia x 173mm (I)

PUREWATT ELITE INVERTER 12V TO 240V CONTINUOUS



Connect to your 12/24 volt DC source and the inverter will deliver efficient and powerful regulated modified sine wave power, similar to power at your home or office. Perfect for operating equipment like televisions, VCR's, power tools, laptop computers, lights, microwave ovens, etc. Features include automatic protection against overloading, overheating, low battery voltage, and short circuit. With high surge capability power can be delivered above the normal rating for a short time to start the toughest equipment.

150 watt	003729
300 watt	003730
500 watt	003731
1000 watt	003732

BEP AMP METER 20AMP



Internal shunt and recessed mounting. Square shape allows modular stacking. Suited for solar panels or battery charger 005052 108mm (h) 108mm (l) 56mm (d)

TRAVELLER VOLTMETER 8AMP 16V

44

BEP INSULATED STUDS

ELECTRICAL

BEP CONTROL PANELS



Features expanded scale face. Colour coded for easy reading. Recessed mounting. 108mm (h) 108mm (l) 56mm (d)

Bulk Pack	005049
Retail Pack	005050

BEP VOLTAGE SENSITIVE RELAY

Isolates a second battery and electronics from harmful engine starting spikes. Allows charging of 2 12V batteries together. Continuous 125 amp, intermittent 140 amp. Ignition protected.



Single Sense **Bulk Pack** Retail Pack

005055 005056



Dual Sense Allows the unit to sense the voltage of both batteries between which it is connected. 005054 Bulk Pack

BEP BUS BARS



4mm stainless steel screws for captured wiring connections. 6mm input stud. Tin plated brass. Main Bus 50 amp. Insulated mounting base.

6 way	2 stud
12 way	2 stud



Tinned brass studs with tinned brass nuts with spring washer. Insulated mounting base. 6mm 005062 (I) 2mm (w)

BEP BUS BAR AND STUD COVERS



6 way bus bar cover 12 way bus bar cover 2 stud cover

038308 038309

038310

004350



BEP 12V CIRCUIT BREAKER PANEL





005060

Supplied with ATC fuses accessible from front cover. Square dimensions allow for modular mounting. Supplied with label sheet, LED on each switch, matching trim conceals mounting screws. 108mm (h) 108mm (l) 36mm (d)

6 way	Bulk Pack	005043
6 way	Retail Pack	005044

12V CONTOUR SWITCHES



Black. Vertical on/off. Labels included.

Single Switch	005024
Double Switch	005025

ATC FUSE HOLDER



Clip on cover with label positions for each fuse

Position for spare fuses

6.3mm quick connect

Maximum per circuit Maximum per block Maximum voltage Clear polycarbonate cover. 30amps. 100amps. 32 VDC

KYOCERA SOLAR REGULATORS



 Sunsaver
 12V
 10amp

 152mm(I)
 55mm (w)
 34mm (d)
 003685

 Sunsaver
 12V
 20amp
 003686

 152mm(I)
 55mm (w)
 34mm (d)
 003686

 ProStar
 12V
 30amp
 153mm(I)
 105mm (w)

 55mm (d)
 003705
 003705
 003705

12V ACCESSORY SOCKETS



NARVA WITH COVER

Aluminium, fitted with screw terminal and thermoplastic lid. 004173 Separate power and earth terminals and thermoplastic lid. 004174



FLUSH MOUNT Suits 12-24v up to 16amp.

004170



SURFACE MOUNT Mounted inside a UV stabilised black box for surface mounting 004171

12V ACCESSORY PLUGS



NARVA

004176



BRITAX

Universal cigarette lighter plug that will also plug into an accessory socket when end ferrule is removed. 035836

12V ACCESSORY PLUG CONNECTOR



Non-corrosive. Screws apart for fast, simple wire connection with screw terminals. No soldering required. Allows marine lights etc. to be easily converted to convenient cigarette plug attachment. 12-24v up to 16 amps. 004172

WAECO 12V CAR KETTLE



Flat, space-saving design. Automatic cut-off after brewing. Fixing kit for wall or desk mounting. Capacity 750ml. 190mm (w) 205mm (h) 125mm (d) including fixing kit. 000180



12V MINI FAN HEATER

12V 150watt. Plugs directly into vehicle accessory socket to provide a powerful auxiliary heat source and windshield defroster. 1.5m cord with plug, adjustable swivel stand for directional heat flow and automatic temperature control. **000625**

12V HAIR DRYER



Portable 12V hair dryer which plugs into car accessory socket for use while travelling. 1350mm long cord. 13amp.

000772

METAL TOGGLE SWITCH 12V 20AMP



Amber On-off 2 terminal 005034 005039

12V ROCKER SWITCHES



Red	30amp/LED light	005007
Large Black	16amp	005008
Green	16amp	005011
Large Red	16amp	005012